Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	136	((qualif$4 or alighn$4 or synchroniz$4 or enabl$4)near3 read)with (clock near2 phase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 12:50
L2	1	((qualif$4 or alighn$4)near3 read)with (clock near2 phase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 10:01
L3	23	l1 and (((power or energy)near3 (consumption or sav$4 or reduced or conservation)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 12:46
L4	0	l1 and (payload near4 array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 10:44
L5	0	l1 and (retir$5 near4 array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 10:04
L6	23	l1 and (array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 10:25
L7	4	l6 and (((power or energy)near3 (consumption or sav$4 or reduced or conservation)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 10:05
L8	46	((qualif$4 or alighn$4 or gat$4)near3 read)with (clock near2 phase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 10:41

L9	48	((qualif$4 or alighn$4 or gat$4)near3 read)with ((active or clock) near2 phase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 13:06
L10	22	((qualif$4 or alighn$4 or gat$4)near3 read)near6 ((active or clock) near2 phase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 10:43
L11	0	l10 same (latch$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 10:44
L12	5	l10 and (latch$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 10:44
L13	0	l10 and (payload near4 array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 10:45
L14	4	(retirement near3 (payload near2 array))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 11:46
L15	4	(retire$5 near3 (payload near2 array))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 10:46
L16	88	((pulse or glitch or signal)near3 (generat$4 or output$4))same (((qualif$4 or alighn$4 or synchroniz$4 or enabl$4 or gat$4)near3 read)with (clock near2 phase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 13:15

L17	0	l16 and ((((latch$4 or output$4)near3 only)with (active near3 (read or phase)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 11:53
L18	0	l16 and ((((latch$4 or output$4 or enabl$4)near3 only)with (active near3 (read or phase)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 11:53
L19	0	l16 and ((((latch$4 or output$4 or enabl$4)near3 only)with (active near5 (read or phase)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 11:53
L20	13	l16 and ((active near5 (read or phase)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 11:55
L21	33	((pulse or glitch or signal)near3 (generat$4 or output$4))same ((((qualif$4 or enabl$4 or gat$4)near3 read)with (clock near2 phase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 13:24
L22	7	l21 and ((active near5 (read or phase)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 11:56
L23	0	((latch$4 or output$4) near4 (condition$4 or restrict$4 or control$4 or gat$4 or qualif$4))with (only with (read near2 active)same (active near3 (clock or phase)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/02/10 12:34
L25	0	((latch$4 or output$4) near4 (condition$4 or restrict$4 or control$4 or gat$4 or qualif$4))same (only with (read near2 active)with (active near3 (clock or phase)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/02/10 12:35
L26	2	((condition$4 or restrict$4 or control$4 or gat$4 or qualif$4))same (only with (read near2 active)with (active near3 (clock or phase)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/02/10 12:35

L27	21	((qualif$4 or alighn$4 or synchroniz$4 or enabl$4)near3 read)with (clock near2 phase)	EPO; JPO; DERWENT	OR	ON	2005/02/10 12:55
L28	9	((pulse or glitch or signal)near3 (generat$4 or output$4))same (((qualif$4 or alighn$4 or synchroniz$4 or enabl$4 or gat$4)near3 read)with (clock near2 phase))	EPO; JPO; DERWENT	OR	ON	2005/02/10 12:52
L29	2	((pulse or glitch or signal)near3 (generat$4 or output$4))same (((qualif$4 or enabl$4 or gat$4)near3 read)with (clock near2 phase))	EPO; JPO; DERWENT	OR	ON	2005/02/10 12:51
L30	4	((qualif$4 or gat$4)near3 read)with (clock near2 phase)	EPO; JPO; DERWENT	OR	ON	2005/02/10 12:55
L31	2	((pulse or glitch or signal)near3 (generat$4 or output$4))same (((qualif$4 or enabl$4 or gat$4)near3 read)with (clock near2 phase))	EPO; JPO; DERWENT	OR	ON	2005/02/10 13:04
L32	4	((qualif$4 or alighn$4 or gat$4)near3 read)with ((active or clock) near2 phase)	EPO; JPO; DERWENT	OR	ON	2005/02/10 13:06
L33	1	((condition$4 or qualif$5 or gat$4)near3 (output$4 or latch$4)) with ((read near3 active)with (clock near3 phase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 13:19
L34	1	((condition$4 or qualif$5 or gat$4)near3 (output$4 or latch$4)) same ((read near3 active)with (clock near3 phase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 13:20
L35	71	(((qualif$4 or enabl$4 or gat$4)near3 read)with (clock near2 phase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 13:25
L36	464773	((select$5 or adapt$5 or qualif$5)near3 (latch$4 or output$4 or read$4))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/02/10 13:26
L37	111466	((select$5 or adapt$5 or qualif$5)near3 (latch$4 or output$4 or read$4))	EPO; JPO; DERWENT	OR	ON	2005/02/10 13:26
L38	467505	((select$5 or adapt$5 or qualif$5 or restrict$4 or control$4 or prohibit$5)near3 (latch$4 or output$4 or read$4))	EPO; JPO; DERWENT	OR	ON	2005/02/10 13:28

L39	865575	((select$5 or adapt$5 or qualif$5 or restrict$4 or control$4 or prohibit$5)near3 (latch$4 or output$4 or read$4))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/02/10 13:27
L40	0	I38 with ((only near3 (active near2 read))with (active near3 (clock or phase)))	EPO; JPO; DERWENT	OR	ON	2005/02/10 13:30
L41	0	I38 same ((only near3 (active near2 read))with (active near3 (clock or phase)))	EPO; JPO; DERWENT	OR	ON	2005/02/10 13:30
L42	1	I38 same (((active near2 read))with (active near3 (clock or phase)))	EPO; JPO; DERWENT	OR	ON	2005/02/10 13:30
L43	40	I39 same (((active near2 read))with (active near3 (clock or phase)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/02/10 14:08
L44	20	I43 and (read near4 port)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/02/10 13:34
L45	239206	reorder$3 neatr2 buffer	EPO; JPO; DERWENT	OR	ON	2005/02/10 14:09
L46	142	reorder$3 near2 buffer	EPO; JPO; DERWENT	OR	ON	2005/02/10 14:17
L47	0	I46 and precharg$4	EPO; JPO; DERWENT	OR	ON	2005/02/10 14:09
L48	24	I46 and read$4	EPO; JPO; DERWENT	OR	ON	2005/02/10 14:12
L49	0	I46 and latch$4	EPO; JPO; DERWENT	OR	ON	2005/02/10 14:10
L50	0	I46 and ((power or enrgy)near3 (conservation or sav$4 or consumption))	EPO; JPO; DERWENT	OR	ON	2005/02/10 14:11
L51	2	I46 and ((power or enrgy))	EPO; JPO; DERWENT	OR	ON	2005/02/10 14:11
L52	22429	(reorder$3 near2 buffer or register or latch)with ((control or restrict$4 or qualif$5 or gat$4)near6 read)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:20
L53	1	I52 same (active near3 (clock adj2 phase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:21

L54	0	(active near3 read)with (active near3 (clock adj2 phase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:25
L55	6	(read) with (active near3 (clock adj2 phase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:23
L56	0	(read adj pointer) with (active near3 (clock adj2 phase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:23
L57	0	(read near3 low)with (active near3 (clock adj2 phase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:26
L58	4	(read near3 low) with ((clock adj2 phase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:32
L59	53506	(condition$4 or restrict$4 or select$5 or adapt$5 or gated or qualif$5)near5 ((enabl$4 or latch$4 or output$4 or open$3)near3 (register or latch or buffer or fifo or flipflop))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:39
L60	0	l59 with (read near6 (clock adj phase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:41
L61	0	l59 same (read near6 (clock adj phase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:42

L62	5	I59 same (read with (clock adj phase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:46
L63	7151	((select$5 or adapt$5 or control$4 or restrict$4)near3 charg$4)with (access$4 or read$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:51
L64	14	I63 with (clock near3 phase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:57
L65	22	((register near2 file)near3 (access$4 or read$4))with (clock near2 phase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 15:10
L66	0	I65 same (only near4 both)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:59
L67	0	I65 and (both near6 (phase with read))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 15:00
L68	8	(both near3(read with(clock near2 phase)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 15:10
L69	8	(both near3(read adj8(clock near2 phase)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 15:14

L70	954	((read adj8(clock near2 phase)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 15:14
L71	1	(((read near2 active) adj8(clock near2 phase)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 15:15
L72	4	(((read near2 active) with(clock near2 phase)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 15:15